



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA110614

Product Info

Date of Certification February 3, 2021

Company Samsung Electronics

Product Name SM-A526W

Product Model Variant 2021-02-03

Model Number SM-A526W

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-12



Certification ID: WFA110614



Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA110614



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 11.0

Wi-Fi Component Firmware

3.2.2-00689

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx



Certification ID: WFA110614



Role: Station		Pa	Page 4 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System Android 11.0	RF Architecture			
	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware 3.2.2-00689	2.4 GHz	1	1	
	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)			
20 MHz Channel Width in 2.4 GHz	Legacy Power Save Unschedule auto PS			
5 GHz Spectrum Capabilities				
20 MHz Channel Width in 5 GHz	WPA2™-Enterpris	se 2018-04		
40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	EAP AKA			
	EAP AKA Prime EAP SIM			
Protected Management Frames	EAP TLS			
	EAP TTLS			
Spectrum & Regulatory	PEAPv0			
802.11h	PEAPv1			
Voice-Enterprise	WPA2™-Personal	2021-01		
wmm®	WPA3™-Enterpris	se 2020-02		
	EAP methods			
WMM®-Admission Control	EAP AKA			
WMM®-Power Save	EAP AKA Prime			
- Triming 1 Ower out	EAP SIM EAP TLS			



Wi-Fi Protected Setup™

Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA110614



Role: Station Page 5 of 5

Wi-Fi Protected Setup™ (continued) WPA3™-Enterprise 2020-02 (continued) **EAP TTLS** Pushbutton PEAPv0 PEAPv1 Server Certificate Validation WPA3™-Personal 2020-12 Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac A-MPDU with A-MSDU LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n STBC A-MPDU Tx **OBSS** on Extension Channel Short Guard Interval Wi-Fi Direct®