



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA110919

Product Info

Date of Certification February 17, 2021

Company FCNT LLC

Product Name AW01

Product Model Variant Derivative product

Model Number AW01

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 2

Wi-Fi Easy Connect™

Alternative topologies Wi-Fi Direct®

Applications Miracast®

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2018-04 WPA3[™]-Enterprise 2018-04 WPA3[™]-Personal 2019-08 Wi-Fi Enhanced Open[™] 2018-04

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac



Certification ID: WFA110919



Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



Certification ID: WFA110919



Role: Access Point Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

V06R055Ae

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Enhanced Open™ 2018-04



Certification ID: WFA110919



Role: Station Page 4 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:10

Wi-Fi Component Firmware

V06R055Ae

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Passpoint® Release 2

Display of HS2.0 indication

Network Icon support

Network Information in network selection

Operating Class Indication

Online Sign Up and Policy provisioning

SIM credentials

Protected Management Frames

WMM®

WMM®-Power Save

WPA3™-Enterprise 2018-04

WPA2™-Personal 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite



Certification ID: WFA110919



Role: Station Page 5 of 7

WPA3™-Personal 2019-08

Wi-Fi Agile Multiband™

ANQP

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Easy Connect™

Wi-Fi Easy Connect bootstrapping methods

QR code responder

Public Key Exchange (PKEX)

Wi-Fi Enhanced Open™ 2018-04

Wi-Fi CERTIFIED™ a







Role: Configurator	Page 6 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:10	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware V06R055Ae	2.4 GHz	2	2
VOOROOORC	5 GHz	2	2
Certifications Wi-Fi Easy Connect™ Provisioning configurator			







Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android, version:10	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
V06R055Ae	5 GHz	2	2
Certifications			
Miracast®			