



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA102944

Product Info

Date of Certification February 26, 2021

Company Samsung Electronics

Product Name SM-G998U

Product Model Variant 2021-02-23

Model Number SM-G998U

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2020



Features

Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA102944

Summary of Certifica	tions (continued)	Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-02 WPA™-Enterprise WPA™-Personal	
Spectrum & Regulatory	Spectrum & Regulatory	





Certification ID: WFA102944

Role: Access Point Page 3 of 7

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:11.0

Wi-Fi Component Firmware

20.25.294.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Wi-Fi CERTIFIED 6® (continued)

Individual Target Wake Time

MU EDCA Parameter Set element

Operating Mode indication

LDPC Rx LDPC Tx MCS 8-9 Rx

MCS 8-9 Tx MCS 10-11 Rx

MCS 10-11 Tx

SU beamformer UL OFDMA

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WPA2™-Personal 2021-01

WMM®

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU DL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

SU beamformer

Wi-Fi CERTIFIED™ b





Certification ID: WFA102944

Role: Access Point	Page 4 of 7
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
OBSS on Extension Channel Short Guard Interval A-MPDU Tx	







Role: Station Page 5 of 7 Wi-Fi Components **Wi-Fi Component Operating System RF Architecture** Android, version:11.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 20.25.294.1 5 GHz 2 2 6 GHz Certifications **WMM®** 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz **WMM®-Admission Control** WMM®-Power Save **5 GHz Spectrum Capabilities** Legacy Power Save 20 MHz Channel Width in 5 GHz Unschedule auto PS 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz WPA2™-Enterprise 2018-04 6 GHz Spectrum Capabilities EAP methods

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

20 MHz Channel Width in 6 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

Voice-Enterprise

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02



Certification ID: WFA102944



Role: Station Page 6 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 cipher

WPA3™-Personal 2020-02

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

TCP/UDP NDP Initiator

Wi-Fi Aware™ (continued)

TCP/UDP NDP Responder

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

Operating Mode indication

SU beamformee

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval





Certification ID: WFA102944

ole: Station
Wi-Fi CERTIFIED™ ac (continued)
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n
A-MPDU Tx
OBSS on Extension Channel Power Management
Short Guard Interval
Wi-Fi Direct®
Wi-Fi Enhanced Open™ 2021-01
Wi-Fi Optimized Connectivity™ 2020
Active Scan
Pushbutton
Wi-Fi Protected Setup™
Pushbutton