



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA111052

Product Info

Date of Certification March 2, 2021

Company Samsung Electronics

Product Name SM-A426U1

Product Model Variant 2021-03-02

Model Number SM-A426U1

Category Phones

Sub-category Phone, multi-mode (Wi-Fi and other)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02





Certification ID: WFA111052

Summary of Certifications (continued)

Page 2 of 5

CLASSIFICATION CERTIFICATION

Security WPA3™-Personal 2020-02

WPA™-Enterprise WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory







Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android 11.0

Wi-Fi Component Firmware

3.3.1-00791

RF Architecture

2.4 GHz

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Certification ID: WFA111052



Role: Station Page 4 of 5 Wi-Fi Components **Wi-Fi Component Operating System RF Architecture** Android 11.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 3.3.1-00791 5 GHz Certifications 2.4 GHz Spectrum Capabilities WMM®-Power Save (continued) 20 MHz Channel Width in 2.4 GHz Legacy Power Save Unschedule auto PS **5 GHz Spectrum Capabilities** WPA2™-Enterprise 2018-04 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz EAP methods 80 MHz Channel Width in 5 GHz EAP AKA **EAP AKA Prime** EAP SIM **Protected Management Frames EAP TLS**

Spectrum & Regulatory

802.11h

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

EAP TTLS

PEAPv0

PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS





Certification ID: WFA111052

Role: Station	Page 5 of 5
rtoio. Gtation	. ago o

WPA3™-Enterprise 2020-02 (continued) Wi-Fi CERTIFIED™ n

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

STBC

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

WPA3™-Personal 2020-02 Wi-Fi Direct®

WPA™-Enterprise Wi-Fi Enhanced Open™ 2021-01

WPA™-Personal

Wi-Fi Aware™

Bluetooth® Low Energy - Browser

Bluetooth® Low Energy - Provider

Bluetooth® Low Energy - Seeker

Device Ranging

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

vi-Fi Ennanced O

Wi-Fi Protected Setup™

Pushbutton