

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA111371

Product Info

Date of Certification April 19, 2021

Company Realtek Semiconductor Corporation

Product Name RTL8852AE 802.11ax WiFi and Bluetooth combo module

Product Model Variant RTL8852AE

Model Number RTL8852AE 802.11ax WiFi and Bluetooth combo module

Category Computers & Accessories

Sub-category Internal Adapter

Summary of Certifications

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111371



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Microsoft Windows 10

Wi-Fi Component Firmware

6001.0.10.303

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA3™-Enterprise 2020-02 (continued)

EAP methods

EAP TLS

EAP TTLS

PEAPv0

Server Certificate Validation

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

DL MU-MIMO

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111371



Role: Station Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval