

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA111371

Product Info

| Date of Certification | April 19, 2021 | |
|-----------------------|--|--|
| Company | Realtek Semiconductor Corporation | |
| Product Name | RTL8852AE 802.11ax WiFi and Bluetooth combo module | |
| Product Model Variant | RTL8852AE | |
| Model Number | RTL8852AE 802.11ax WiFi and Bluetooth combo module | |
| Category | Computers & Accessories | |
| Sub-category | Internal Adapter | |

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|--------------------|---|
| Network management | WMM® Wi-Fi Agile Multiband™ |
| Security | Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-02 |
| Wi-Fi (MAC/PHY) | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n |



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA111371



Role: Station

Page 2 of 3

| | Page 2 01 5 | | | |
|--|--|--|--|--|
| Wi-Fi Components | | | | |
| Wi-Fi Component Operating System | RF Architecture | | | |
| Microsoft Windows 10 | Bands Supported Transmit (Tx) Receive (Rx) | | | |
| Wi-Fi Component Firmware | 2.4 GHz 2 2 | | | |
| 6001.0.10.303 | 5 GHz 2 2 | | | |
| | | | | |
| Certifications | | | | |
| 2.4 GHz Spectrum Capabilities | WPA3™-Enterprise 2020-02 (continued) | | | |
| 20 MHz Channel Width in 2.4 GHz | EAP methods | | | |
| 40 MHz Channel Width in 2.4 GHz | EAP TLS EAP TTLS | | | |
| 5 GHz Spectrum Capabilities | PEAPv0 | | | |
| | Server Certificate Validation | | | |
| 20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz | WPA3™-Personal 2020-02 | | | |
| 80 MHz Channel Width in 5 GHz | Wi-Fi Agile Multiband™ | | | |
| Protected Management Frames | | | | |
| | Wi-Fi CERTIFIED 6® | | | |
| WMM® | A-MPDU with A-MSDU BSRP Trigger frame | | | |
| WPA2™-Enterprise 2018-04 | Compressed Block Ack Rx (buffer size 256) | | | |
| EAP methods | DL MU-MIMO Individual Target Wake Time | | | |
| EAP TLS EAP TTLS | LDPC Rx | | | |
| PEAPv0 | LDPC Tx MCS 8-9 Rx | | | |
| | MCS 8-9 Tx MCS 10-11 Rx | | | |
| WPA2™-Personal 2021-01 | MCS 10-11 Tx | | | |
| WPA3™-Enterprise 2020-02 | MU EDCA Parameter Set element | | | |

This certificate was downloaded on 2025-07-17 at 21:11:30 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Certification ID: WFA111371



| Role: Station | Page 3 of 3 |
|--|-------------|
| Wi-Fi CERTIFIED 6® (continued) | |
| MU-BAR Trigger frame | |
| MU-RTS Trigger frame | |
| M-BSSID | |
| Operating mode control field | |
| Operating mode subfield in A-Control field | |
| Operating mode indication SU beamformee | |
| SU-MIMO | |
| UL OFDMA | |
| | |
| Wi-Fi CERTIFIED™ a | |
| Wi-Fi CERTIFIED™ ac | |
| A-MPDU with A-MSDU | |
| DL MU-MIMO | |
| LDPC Rx | |
| MCS 8-9 Rx | |
| Short Guard Interval | |
| STBC | |
| | |
| SU beamformee | |
| | |
| Wi-Fi CERTIFIED™ b | |
| Wi-Fi CERTIFIED™ g | |
| Wi-Fi CERTIFIED™ n | |
| STBC | |
| A-MPDU Tx | |
| OBSS on Extension Channel | |
| Short Guard Interval | |
| | |

This certificate was downloaded on 2025-07-17 at 21:11:30 UTC Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and other marks are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.