

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA111574

Product Info

Date of Certification June 10, 2021

Company Arcadyan Technology Corporation

Product Name eLife Connect C1AA - WRV9518BHAX34-ET

Product Model Variant WRV9518BHAX34-ET

Model Number WRV9518BHAX34-ET

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-02

WPA™-Personal

Spectrum & Regulatory

Spectrum & Regulatory

Features



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA111574

| Role: Access Point | Page 2 of 3 |
|-----------------------|--------------|
| 1101017100000 1 01111 | i ago = oi o |

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.1.52

Wi-Fi Component Firmware

17.10 RC121.2004

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 3 | 3 |
| 5 GHz | 4 | 4 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

WPA™-Personal

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA111574

| Role: Access Point | Page 3 of |
|---------------------------|-----------|
| Wi-Fi CERTIFIED™ ac | |
| A-MPDU with A-MSDU | |
| DL MU-MIMO | |
| LDPC Rx | |
| LDPC Tx | |
| MCS 8-9 Rx | |
| Short Guard Interval | |
| STBC | |
| SU beamformer | |
| | |
| Wi-Fi CERTIFIED™ b | |
| Wi-Fi CERTIFIED™ g | |
| Wi-Fi CERTIFIED™ n | |
| HT Duplicate Mode | |
| OBSS on Extension Channel | |
| Short Guard Interval | |
| STBC | |
| A-MPDU Tx | |
| | |
| Wi-Fi Protected Setup™ | |
| PIN | |
| Pushbutton | |
| i ushbullon | |