



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA101649

Product Info

Date of Certification April 13, 2021

Company MaxLinear Inc.

Product Name Maxlinear WiFi 6E Triband AP

Product Model Variant 6E update

Model Number MMID 99A3A0

Category Other

Sub-category Reference Design

Summary of Certifications

CI ASSIFICAT	ION (CERTIFICA	TION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2019-08

WPA™-Enterprise WPA™-Personal





Certification ID: WFA101649

Summary	of	Certificat	tions (cont	inued)
Julillialy	OI.	oei liiica	เเบเเอ	COIIL	IIIucu

Page 2 of 4

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA101649



Role: Access Point		Pa	age 3 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	4	4	
Sigma-CAPI-10.12.0-06.01.00_6G_PF3.29				
	5 GHz	4	4	
	6 GHz	4	4	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	latory (continue	d)	
20 MHz Channel Width in 2.4 GHz	802.11d			
40 MHz Channel Width in 2.4 GHz				
E CHz Speatrum Capabilities	WMM®			
5 GHz Spectrum Capabilities	WPA2™-Enterpris	se 2018-04		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	EAP methods			
80 MHz Channel Width in 5 GHz	EAP methods			
160 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01			
6 GHz Spectrum Capabilities	WPA3™-Enterpris	so 2020-02		
o onz opectrum oapabilities	Wi A5 -Einterpris	3 6 2020-02		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP methods			
80 MHz Channel Width in 6 GHz	AND A CIN D	10040.00		
160 MHz Channel Width in 6 GHz	WPA3™-Personal 2019-08			
Protected Management France	WPA™-Enterprise	•		
Protected Management Frames	WPA™-Personal			
Spectrum & Regulatory	Wi-Fi Agile Multiband™			



Wi Fi

Certification ID: WFA101649

Role: Access Point	Page 4 of 4

Wi-Fi Agile Multiband™ (continued)

Wi-Fi CERTIFIED™ n (continued)

Cellular Data aware

A-MPDU Tx

Wi-Fi CERTIFIED 6®

Wi-Fi Enhanced Open™ 2021-01

DL OFDMA

Individual Target Wake Time

Operating Mode indication

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC