

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA111710

Product Info

Date of Certification April 15, 2021

Company Kaonbroadband CO., LTD.

Product Name O2 Smart Box V2

Product Model Variant "2021-04-14"

Model Number DG2300CR

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION	CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111710



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

17.10.121.37

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 4 4

Certifications

2.4 GHz Spectrum Capabilities WPA2™-Enterprise 2018-04 (continued)

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

WPA2™-Personal 2021-01

EAP methods

EAP methods

WPA3™-Enterprise 2020-02

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

WPA3™-Personal 2020-02

Protected Management Frames Wi-Fi Agile Multiband™

Spectrum & Regulatory

802.11d 802.11h

WMM®

Max Throughput

4 antenna support

A-MPDU with A-MSDU

Wi-Fi CERTIFIED 6®

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

WPA2™-Enterprise 2018-04



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111710

Wi-Fi CERTIFIED™ n (continued)

Short Guard Interval

STBC

A-MPDU Tx



Role: Access Point Page 3 of 3

Wi-Fi CERTIFIED 6® (continued)

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel