



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA111955**

## Product Info

Date of Certification	April 28, 2021
Company	ZTE Corporation
Product Name	Home Gateway
Product Model Variant	2020-02-20 (WFA91871 - 10656868)
Model Number	ZXHN H3640
Category	Routers
Sub-category	Cable, DSL or Other Broadband Gateway (Integrated Home Access Device)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2018-04 WPA3™-Personal 2019-08 WPA™-Personal
Spectrum & Regulatory Features	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111955



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux

### Wi-Fi Component Firmware

V1.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### Spectrum & Regulatory

802.11d  
802.11h

### WMM®

### WPA2™-Personal 2018-04

### WPA3™-Personal 2019-08

### WPA™-Personal

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

### Wi-Fi CERTIFIED 6®

4 antenna support  
A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA111955



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED 6® (continued)

M-BSSID  
Operating Mode indication  
SU beamformer  
TXOP RTS Threshold  
UL OFDMA

## Wi-Fi Protected Setup™ (continued)

PIN  
Pushbutton

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

RTS with BW Signaling  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi Protected Setup™