



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA112242

Product Info

Date of Certification May 19, 2021

Company Vodafone Group PLC

Product Name Vodafone Smart Router

Product Model Variant Huawei OptiXstar HG8247X6-8N

Model Number Huawei OptiXstar HG8247X6-8N

Category Routers

Sub-category Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi EasyMesh™

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA112242



Role: Access Point		Page 2 of 4		
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Linux	Bands Supported Tr	ransmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware V5	2.4 GHz 4		4	
	5 GHz 4		4	
Certifications				
2.4 GHz Spectrum Capabilities	WMM®-Power Save (c	continued)		
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	Unschedule auto PS	Unschedule auto PS		
5 CUz Spectrum Capabilities	WPA2™-Enterprise 20	018-04		
5 GHz Spectrum Capabilities	EAP methods	EAP methods		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Personal 202	21-01		
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	WPA3™-Enterprise 20			
Protected Management Frames	EAP methods	020-02		
	EAI metrous			
Spectrum & Regulatory	WPA3™-Personal 202	20-02		
802.11d 802.11h	Wi-Fi Agile Multiband	тм		
	Wi-Fi CERTIFIED 6®			
WMM®	4 antenna support			
WMM®-Power Save	A-MPDU with A-MSDU Basic Trigger frame in HE MU	II PPNII		
Legacy Power Save	Beamforming sounding	01100		



Certification ID: WFA112242



Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

Wi-Fi CERTIFIED™ ac (continued)

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA112242



Role: Controller	Page 4 of 4
Wi-Fi Components	
Wi-Fi Component Operating System	
Linux	
Certifications	
Wi-Fi EasyMesh™	