



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA112279

Product Info

Date of Certification May 20, 2021

Company Samsung Electronics

Product Name Multi-band GSM/WCDMA/LTE/5GNR Phone with Bluetooth, WLAN

Product Model Variant NA

Model Number SM-E426B/DS

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Network management WMM®

WMM®-Admission Control

WMM®-Power Save

Performance Voice-Enterprise

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n



Certification ID: WFA112279



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android R

Wi-Fi Component Firmware

JDM_201207113024000

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ b

<u>Wi-Fi CERTIFIED™ g</u>

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval

A-MPDU Tx

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

MCS 8-9 Rx

Short Guard Interval



Certification ID: WFA112279



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android R

Wi-Fi Component Firmware

JDM_201207113024000

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04 (continued)

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Protected Management Frames

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

WPA2™-Enterprise 2018-04

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WPA3™-Personal 2020-02



Certification ID: WFA112279



Role: Station
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
A-MPDU with A-MSDU
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformee
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n
STBC
A-MPDU Tx
HT Duplicate Mode
HT Duplicate Mode OBSS on Extension Channel
HT Duplicate Mode
HT Duplicate Mode OBSS on Extension Channel
HT Duplicate Mode OBSS on Extension Channel
HT Duplicate Mode OBSS on Extension Channel Short Guard Interval
HT Duplicate Mode OBSS on Extension Channel Short Guard Interval
HT Duplicate Mode OBSS on Extension Channel Short Guard Interval Wi-Fi Direct® Wi-Fi Protected Setup™
HT Duplicate Mode OBSS on Extension Channel Short Guard Interval Wi-Fi Direct®