



Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs



Certification ID: WFA57166

Product Info

| | |
|-----------------------|--|
| Date of Certification | November 26, 2014 |
| Company | Actiontec Electronics |
| Product Name | ScreenBeam Mini2 Wireless Display Receiver |
| Product Model Variant | 2014-11-26 (WFA57166 - 2415508) |
| Model Number | SBWD60A |
| Category | Gaming, Media & Music |
| Sub-category | Media Adapter |

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|-------------------------|---|
| Access | Wi-Fi Protected Setup™ |
| Applications & Services | Miracast® |
| Connectivity | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® |
| Optimization | WMM® |
| Security | WPA2™-Personal WPA™-Personal |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA57166



Role: Station

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux, version:Linux, version: 2.6.12

Wi-Fi Component Firmware

5.2.3.0

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz

WMM®

WPA2™-Personal

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC

Wi-Fi CERTIFIED™ n (continued)

HT Duplicate Mode
OBSS on Extension Channel
RIFS
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Protected Setup™

PIN
Pushbutton



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA57166



Role: Display

Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux, version:Linux, version: 2.6.12

Wi-Fi Component Firmware

5.2.3.0

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 2 | 2 |
| 5 GHz | 2 | 2 |

Certifications

Miracast®