



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA112997**

#### **Product Info**

**Date of Certification** July 9, 2021

Company HMD Global Oy

Product Name Smartphone

Product Model Variant TA-1362

Model Number TA-1362

**Category** Phones

**Sub-category** Smartphone

#### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-02



**Certification ID: WFA112997** 



Role: Access Point Page 2 of 4

Wi-Fi Components

**Wi-Fi Component Operating System** 

Android 11

Wi-Fi Component Firmware

WLAN.HL.3.3.2-00259-QCAHLSWMTPLZ-1

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx



**Certification ID: WFA112997** 



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android 11

Wi-Fi Component Firmware

WLAN.HL.3.3.2-00259-QCAHLSWMTPLZ-1

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

**EAP TLS** 

EAP TTLS

PEAPv0

PEAPv1

Server Certificate Validation

WMM®

WPA2™-Enterprise 2018-04

**Protected Management Frames** 

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx



**Certification ID: WFA112997** 



i-Fi CERTIFIED™ ac (continued)  J beamformee	
i-Fi CERTIFIED™ b	
ï-Fi CERTIFIED™ g	
í-Fi CERTIFIED™ n	
TBC	
MPDU Tx	
BSS on Extension Channel	
ort Guard Interval	