

Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA113229

Product Info

Date of Certification December 10, 2021

Company MediaTek Inc.

Product Name MT7933

Product Model Variant MT7933

Model Number MT7933, MT7931, MT3623

Category Other

Sub-category Other

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Spectrum & Regulatory
Wi-Fi CERTIFIED ™ a
Wi-Fi CERTIFIED ™ ac
Wi-Fi CERTIFIED ™ b
Wi-Fi CERTIFIED ™ g
Wi-Fi CERTIFIED ™ n



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA113229



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

FreeRTOS

Wi-Fi Component Firmware

MT7933

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11h

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU-MIMO

Individual Target Wake Time

MCS 8-9 Rx

MCS 8-9 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode subfield in A-Control field

SU beamformee

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

MCS 8 Rx

Short Guard Interval

STBC



Wi-Fi CERTIFIED® Certificate

WiFi

Certification ID: WFA113229

Role: Station	Page 3 of 3
Wi-Fi CERTIFIED™ ac (continued)	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
STBC A-MPDU Tx Power Management Short Guard Interval	