



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## **Certification ID: WFA113378**

### **Product Info**

Date of Certification July 14, 2021

**Company** Ruckus Wireless, Inc.

Product Name Ruckus R350 / Virtual SmartZone

Product Model Variant Ruckus R350 / Virtual SmartZone

Model Number R350/vSZ

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ ac
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

Wi-Fi Agile Multiband™

Wi-Fi Optimized Connectivity™ 2018

Wi-Fi Vantage™ Release 2

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-02



Wi Fi

**Certification ID: WFA113378** 

## **Summary of Certifications (continued)**

Page 2 of 4

**CLASSIFICATION** 

**CERTIFICATION** 

Spectrum & Regulatory

Spectrum & Regulatory

**Features** 



**Certification ID: WFA113378** 



Role: Access Point Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

6.0.0.7.15

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

**Certifications** 

2.4 GHz Spectrum Capabilities WMM®

20 MHz Channel Width in 2.4 GHz

WPA2™-Enterprise 2018-04

EAP methods

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA3™-Enterprise 2020-02

WPA2™-Personal 2021-01

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Passpoint® Release 3

Online Sign Up and Policy provisioning

Online Sign Up using single SSID

Roaming Consortium Selection

Venue Information

Terms and Conditions

WPA3™-Personal 2020-02

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

**Protected Management Frames** 

Spectrum & Regulatory

Wi-Fi Agile Multiband™

802.11d 802.11h Automatically populate BSS Transition candidate list

Cellular Data aware



**Certification ID: WFA113378** 



Role: Access Point Page 4 of 4

### Wi-Fi Agile Multiband™ (continued)

Fast Transition OTA on WPA2-Enterprise Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Operating mode indication

SU beamformer

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

### Wi-Fi CERTIFIED™ ac (continued)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

#### Wi-Fi Enhanced Open™ 2021-01

### Wi-Fi Optimized Connectivity™ 2018

FILS Shared Key Authentication

FILS Indication Element support

FILS Higher Layer Protocol with DHCP v4 Rapid Commit

FILS Higher Layer Protocol with DHCP v4 Rapid Commit using an external DHCP server

Fast Transition OTA on WPA2-Enterprise

Reduced Neighbor Report included in FILS Discovery frames

Reduced Neighbor Report includes all neighboring BSS

### Wi-Fi Vantage™ Release 2