

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA113521

Product Info

Date of Certification November 9, 2021

Company Sercomm Corporation

Product Name SAX1V1R

Product Model Variant Project 6

Model Number Project 6

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Easy Connect™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-02

WPA™-Personal

Spectrum & Regulatory

Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA113521



Role: Access Point Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.02.06.01_WFA

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 4

5 GHz 4 4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

Spectrum & Regulatory

802.11d

802.11h

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

4 antenna support
A-MPDU with A-MSDU

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Operating Mode indication

SU beamformer

SU-MIMO

UL OFDMA

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

WPA™-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU



Wi-Fi CERTIFIED™ Certificate



Certification ID: WFA113521

Role: A	Access Point	
Wi-Fi C	CERTIFIED™ ac (continued)	
DL MU-M	MIMO	
LDPC Rx	x	
LDPC Tx	x	
MCS 8-9	9 Rx	
Short Gu	uard Interval	
STBC		
SU beam	nformer	
Wi-Fi C	CERTIFIED™ b	
Wi-Fi C	CERTIFIED™ g	
Wi_Ei C	CERTIFIED™ n	
VVI-FI C	SEKTIFIED II	
OBSS on	n Extension Channel	
Short Gu	uard Interval	
STBC		
A-MPDU	J Tx	
Wi-Fi F	Easy Connect™	
Bootstrap	pping methods	
QR c	code responder	