



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA90769

Product Info

Date of Certification July 28, 2021

Company Samsung Electronics

Product Name SM-S205DL

Product Model Variant 2021-07-28

Model Number SM-S205DL

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01

WPA™-Enterprise WPA™-Personal





Certification ID: WFA90769

Summary	, of C	Cartificat	tione I	Cont	inuad)
Sullillal	יטוע /	ti liilla		COIL	mueu

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features







Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:11.0

Wi-Fi Component Firmware

13C

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1 1

5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval

A-MPDU Tx





Certification ID: WFA90769

Role: Station	Page 4 of 5
Wi-Fi Components	
Wi-Fi Component Operating System	RF Architecture
Android, version:11.0	Bands Supported Transmit (Tx) Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz 1 1
13C	5 GHz 1 1
Certifications	
2.4 GHz Spectrum Capabilities	WMM®-Power Save (continued)
20 MHz Channel Width in 2.4 GHz	Legacy Power Save
40 MHz Channel Width in 2.4 GHz	Unschedule auto PS
5 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04
20 MHz Channel Width in 5 GHz	EAP methods
40 MHz Channel Width in 5 GHz	EAP AKA
80 MHz Channel Width in 5 GHz	EAP AKA Prime EAP FAST-MSCHAPv2
B 4 4 1 1 4 5	EAP SIM
Protected Management Frames	EAP TLS
Spectrum & Regulatory	EAP TTLS PEAPv0
802.11h	PEAPv1
Water Entereday	WPA2™-Personal 2021-01
Voice-Enterprise	WDATM Fatamaria
WMM®	WPA™-Enterprise
WMM®-Admission Control	WPA™-Personal
WMM®-Power Save	Wi-Fi CERTIFIED™ a
	Wi-Fi CERTIFIED™ ac





Certification ID: WFA90769

Role: Station
Wi-Fi CERTIFIED™ ac (continued)
Extended 5 GHz Channel Support
A-MPDU with A-MSDU
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n
Wi-Fi CERTIFIED™ n STBC A-MPDU Tx
STBC
STBC A-MPDU Tx
STBC A-MPDU Tx HT Duplicate Mode
STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel
STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management
STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management Short Guard Interval
STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management
STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management Short Guard Interval