



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA113735

Product Info

Date of Certification October 4, 2021

Company Intel

Product Name Intel® Wi-Fi 6E AX411 (Gig+)

Product Model Variant Win 11 - 22.90

Model Number AX411

Category Computers & Accessories

Sub-category Internal Adapter

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Alternative topologies Wi-Fi Direct®

Network management WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-12 Wi-Fi Enhanced Open[™] 2021-01

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory

Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b



Certification ID: WFA113735



Summary of Certifications (continued)		Page 2 of 5
CLASSIFICATION	CERTIFICATION	
Wi-Fi (MAC/PHY)	Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n	



Certification ID: WFA113735



Role: Station		Pa	age 3 of 5	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Windows 11	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
22.90	5 GHz	2	2	
	6 GHz	2	2	
Certifications				
2.4 GHz Spectrum Capabilities	Spectrum & Regu	Spectrum & Regulatory (continued)		
20 MHz Channel Width in 2.4 GHz	802.11h			
40 MHz Channel Width in 2.4 GHz				
5 GHz Spectrum Capabilities	WMM®			
	WMM®-Power Sa	WMM®-Power Save		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	Legacy Power Save	Legacy Power Save		
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	Unschedule auto PS			
	WPA2™-Enterpris	se 2018-04		
6 GHz Spectrum Capabilities	EAP methods			
20 MHz Channel Width in 6 GHz	EAP TLS			
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz		EAP TTLS PEAPv0		
160 MHz Channel Width in 6 GHz				
	WPA2™-Personal	2021-01		
Protected Management Frames	WPA3™-Enterpris	WPA3™-Enterprise 2020-02		
Spectrum & Regulatory	EAP methods			



Certification ID: WFA113735



Role: Station Page 4 of 5

WPA3™-Enterprise 2020-02 (continued)

EAP TLS

EAP TTLS

PEAPv0

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Server Certificate Validation

WPA3™-Personal 2020-12

Beacon Protection

Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n



Certification ID: WFA113735



Role: Station

Wi-Fi CERTIFIED™ n (continued)

STBC

A-MPDU Tx

OBSS on Extension Channel
Power Management
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN
Pushbutton