



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA97540

Product Info

Date of Certification	September 24, 2021
Company	Buffalo Inc.
Product Name	BUFFALO AirStation WSR-5400AX6
Product Model Variant	WSR-5400AX6S
Model Number	WSR-5400AX6
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-02 WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA97540



Role: Access Point

Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.01

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
 40 MHz Channel Width in 5 GHz
 80 MHz Channel Width in 5 GHz
 160 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

WPA™-Personal

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

4 antenna support
 A-MPDU with A-MSDU
 Basic Trigger frame in HE MU PPDU
 BSRP Trigger frame
 DL MU-MIMO
 DL OFDMA
 Individual Target Wake Time
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 Operating mode indication
 SU beamformer
 TXOP RTS Threshold
 UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA97540



Role: Access Point

Page 3 of 4

Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi EasyMesh™ (continued)

Backhaul onboarding with pushbutton
Coordinated CAC
Traffic separation

Wi-Fi Protected Setup™

PIN
Pushbutton

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval
STBC
A-MPDU Tx

Wi-Fi EasyMesh™

Backhaul Link

- Backhaul in 2.4 GHz
- Backhaul in 5 GHz low band
- Backhaul in 5 GHz high band
- Backhaul over Ethernet

Fronthaul Access Point

- Fronthaul in 2.4 GHz
- Fronthaul in 5 GHz low band
- Fronthaul in 5 GHz high band

Client Capability Query
Unassociated STA Link Metrics Reporting
Channel Scan on Request



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA97540



Role: Controller

Page 4 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™