



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

## Certification ID: WFA103780

### Product Info

<b>Date of Certification</b>	August 11, 2021
<b>Company</b>	Buffalo Inc.
<b>Product Name</b>	BUFFALO AirStation WEX-1800AX4
<b>Product Model Variant</b>	WEX-1800AX4EA/D_MAP
<b>Model Number</b>	WEX-1800AX4
<b>Category</b>	Routers
<b>Sub-category</b>	Repeater, Extender, Mesh System, Controller

### Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
<b>Optimization</b>	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
<b>Security</b>	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-02 WPA™-Personal
<b>Spectrum &amp; Regulatory Features</b>	Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA103780



Role: Access Point

Page 2 of 3

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, version: 4.4.198

### Wi-Fi Component Firmware

7.4.0.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list  
Cellular Data aware

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode indication  
SU beamformer  
UL OFDMA

### Protected Management Frames

### Spectrum & Regulatory

802.11d  
802.11h

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2020-02

### WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA103780



Role: Access Point

Page 3 of 3

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
SU beamformer

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
A-MPDU Tx

## Wi-Fi EasyMesh™

Backhaul Link  
    Backhaul in 2.4 GHz  
    Backhaul in 5 GHz low band  
    Backhaul in 5 GHz high band  
    Backhaul over Ethernet  
Fronthaul Access Point  
    Fronthaul in 2.4 GHz  
    Fronthaul in 5 GHz low band  
    Fronthaul in 5 GHz high band  
Client Capability Query  
Agent-initiated Steering capability

## Wi-Fi EasyMesh™ (continued)

Unassociated STA Link Metrics Reporting  
Channel Scan on Request  
Backhaul onboarding with pushbutton  
Coordinated CAC  
Traffic separation