



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA114256

Product Info

Date of Certification	September 7, 2021
Company	FCNT LLC
Product Name	FMP181L
Product Model Variant	FMP181L
Model Number	FMP181L
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Passpoint® Release 2 Wi-Fi Easy Connect™ Wi-Fi Protected Setup™
Applications & Services	Miracast®
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Summary of Certifications (continued)

Page 2 of 8

CLASSIFICATION

CERTIFICATION

Security

WPA3™-Enterprise 2020-02

WPA3™-Personal 2020-02



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Access Point

Page 3 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android Version 11

Wi-Fi Component Firmware

VXXR0XX

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
Operating mode indication
TXOP RTS Threshold

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Short Guard Interval
STBC
A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Station

Page 4 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android Version 11

Wi-Fi Component Firmware

VXXR0XX

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

- 20 MHz Channel Width in 2.4 GHz
- 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

- 20 MHz Channel Width in 5 GHz
- 40 MHz Channel Width in 5 GHz
- 80 MHz Channel Width in 5 GHz

Passpoint® Release 2

- Network Icon support
- Operating Class Indication
- Online Sign Up and Policy provisioning

Protected Management Frames

WMM®

WPA2™-Enterprise 2018-04

- EAP methods

WPA2™-Enterprise 2018-04 (continued)

- EAP AKA
- EAP AKA Prime
- EAP SIM
- EAP TLS
- EAP TTLS
- PEAPv0
- PEAPv1

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

- EAP methods
 - EAP AKA
 - EAP AKA Prime
 - EAP SIM
 - EAP TLS
 - EAP TTLS
 - PEAPv0
 - PEAPv1
- 192-bit security
 - 192-bit security RSA 3K with the TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite
- Server Certificate Validation



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Station

Page 5 of 8

WPA3™-Personal 2020-02

Wi-Fi Agile Multiband™

ANQP
ANQP-based Neighbor report
Beacon Report Measurement Active Mode
Beacon Report Measurement Passive Mode
BTM Query
Cellular Data capable
Fast Transition OTA on WPA2-Personal
Fast Transition OTA on WPA2-Enterprise

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU
Beamforming sounding
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU PPDU multi-tone
DL MU-MIMO
HE NDP
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU EDCA Parameter Set element
MU-BAR Trigger frame
MU-RTS Trigger frame
Operating mode control field
Operating mode subfield in A-Control field
Operating mode indication
SU beamformee

Wi-Fi CERTIFIED 6® (continued)

SU-MIMO
UL OFDMA
UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
OBSS on Extension Channel
Short Guard Interval

Wi-Fi Direct®

Wi-Fi Easy Connect™

Bootstrapping methods
QR code responder



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Station

Page 6 of 8

Wi-Fi Easy Connect™ (continued)

Public Key Exchange (PKEX)

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

Pushbutton



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Configurator

Page 7 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android Version 11

Wi-Fi Component Firmware

VXXR0XXPCle

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

Wi-Fi Easy Connect™

Provisioning configurator



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114256



Role: Source

Page 8 of 8

Wi-Fi Components

Wi-Fi Component Operating System

Android Version 11

Wi-Fi Component Firmware

VXXR0XX

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

Miracast®

HDCP Encryption