



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA99794**

## Product Info

Date of Certification	September 13, 2021
Company	Buffalo Inc.
Product Name	BUFFALO AirStation WXR-5700AX7S
Product Model Variant	WXR-5700AX7S/N
Model Number	WXR-5700AX7S
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-02 WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA99794



Role: Access Point

Page 2 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, version:4.1.52

### Wi-Fi Component Firmware

19.1GA

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	3	3
5 GHz	4	4

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2020-02

### WPA™-Personal

### Wi-Fi Agile Multiband™

### Wi-Fi CERTIFIED 6®

### Wi-Fi CERTIFIED 6® (continued)

4 antenna support  
A-MPDU with A-MSDU  
Basic Trigger frame in HE MU PPDU  
BSRP Trigger frame  
DL MU-MIMO  
DL OFDMA  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
Operating Mode indication  
SU beamformer  
TXOP RTS Threshold  
UL OFDMA

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA99794



Role: Access Point

Page 3 of 4

## Wi-Fi CERTIFIED™ ac (continued)

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
SU beamformer

## Wi-Fi EasyMesh™ (continued)

Traffic separation

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx

## Wi-Fi EasyMesh™

Backhaul Link  
    Backhaul in 2.4 GHz  
    Backhaul in 5 GHz low band  
    Backhaul over Ethernet  
Fronthaul Access Point  
    Fronthaul in 2.4 GHz  
    Fronthaul in 5 GHz low band  
Client Capability Query  
Unassociated STA Link Metrics Reporting  
Channel Scan on Request  
Backhaul onboarding with Pushbutton  
Coordinated CAC



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA99794



Role: Controller

Page 4 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Linux, version:4.1.52

## Certifications

Wi-Fi EasyMesh™