



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA114353

Product Info

Date of Certification	September 15, 2021
Company	Kaonbroadband CO., LTD.
Product Name	AR1344
Product Model Variant	2021-09-15
Model Number	AR1344
Category	Routers
Sub-category	Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-12 WPA [™] -Enterprise WPA [™] -Personal
Spectrum & Regulatory Features	Spectrum & Regulatory



Certification ID: WFA114353



Role: Access Point	P	age 2 of 4			
Wi-Fi Components					
Wi-Fi Component Operating System	RF Architecture				
Linux	Bands Supported	Transmit (Tx)	Receive (Rx)		
Wi-Fi Component Firmware version 17.10.121.2004	2.4 GHz	2	2		
Version 17.10.121.2004	5 GHz	4	4		
Certifications					
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)				
20 MHz Channel Width in 2.4 GHz	EAP methods				
5 GHz Spectrum Capabilities	WPA2™-Personal 2021-01				
20 MHz Channel Width in 5 GHz	WPA3™-Enterprise 2020-02				
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	EAP methods				
Distantial Management Frames	WPA3™-Personal 2020-12				
Protected Management Frames	WPA™-Enterprise				
Spectrum & Regulatory	WPA™-Personal				
802.11h	Wi-Fi Agile Multiband™				
WMM®	Wi-Fi CERTIFIED	ß®			
Max Throughput	4 antenna support A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU Beamforming sounding BSRP Trigger frame				
WPA2™-Enterprise 2018-04					



Certification ID: WFA114353



Page 3 of 4

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element **MU-BAR Trigger frame MU-RTS** Trigger frame Operating Mode indication SU beamformer **TXOP RTS Threshold UL OFDMA**

Wi-Fi CERTIFIED™ n

HT Duplicate Mode OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx

Wi-Fi EasyMesh™

Backhaul Link Backhaul over Ethernet Fronthaul Access Point Fronthaul in 2.4 GHz Fronthaul in 5 GHz low band Fronthaul in 5 GHz high band Backhaul onboarding with Pushbutton Coordinated CAC Traffic separation

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g



Certification ID: WFA114353



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™