



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA114401

Product Info

Date of Certification	September 17, 2021
Company	Motorola Mobility LLC
Product Name	XT2165DL
Product Model Variant	XT2165DL
Model Number	XT2165DL
Category	Phones
Sub-category	Smartphone

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED [™] a Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] b Wi-Fi CERTIFIED [™] g Wi-Fi CERTIFIED [™] n Wi-Fi Direct® Wi-Fi Enhanced Open [™] 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-02



Certification ID: WFA114401



Summary of Certifications (continued)Page 2 of 5CLASSIFICATIONCERTIFICATIONSecurityWPA™-Enterprise
WPA™-Personal



Certification ID: WFA114401



Role: Access Point Page 3 of 5 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 11 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 CERVINO_SOC1_0_E1 5 GHz 1 1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU LDPC Rx LDPC Tx

Wi-Fi CERTIFIED[™] ac (continued)

MCS 8 Rx MCS 8-9 Rx Short Guard Interval SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval A-MPDU Tx



Certification ID: WFA114401



Role: Station		Page 4 of 5	
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 11	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware CERVINO_SOC1_0_E1	2.4 GHz	1	1
	5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04 (continued)	
20 MHz Channel Width in 2.4 GHz	EAP methods	
5 GHz Spectrum Capabilities 20 MHz Channel Width in 5 GHz	EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TTLS	
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	PEAPv0 PEAPv1	
Protected Management Frames	WPA2™-Personal 2021-01	
Voice-Enterprise	WPA3™-Enterprise 2020-02	
WMM®	EAP methods	
WMM®-Admission Control	EAP AKA EAP AKA Prime	
WMM®-Power Save	EAP SIM EAP TLS	
Legacy Power Save Unschedule auto PS	EAP TTLS PEAPv0 PEAPv1 Server Certificate Validation	
WPA2™-Enterprise 2018-04		
	WPA3™-Personal 2020-02	



Certification ID: WFA114401



Page 5 of 5

Role: Station

WPA[™]-Enterprise

WPA[™]-Personal

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel Power Management Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

Pushbutton