

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA100622

Product Info

Date of Certification	September 27, 2021	
Company	Askey Computer Corporation	
Product Name	DRIVE RECORDER	
Product Model Variant	DRIVE RECORDER	
Model Number	CDR450A	
Category	Other	
Sub-category	Other	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM®
Security	Protected Management Frames WPA2 [™] -Enterprise 2018-04 WPA [™] -Personal 2018-04 WPA [™] -Enterprise WPA [™] -Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA100622



Role: Access Point Page 2 of 4 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android, version:9.0 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 1 1 mercury-userdebug 9 1.0.0.200805 200805.0328 test-keys Certifications 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz WMM® WPA2[™]-Personal 2018-04 Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Short Guard Interval A-MPDU Tx

This certificate was downloaded on 2024-04-17 at 22:28:12 UTC



Wi-Fi CERTIFIED[™] Certificate





Role: Station Page			age 3 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Android, version:9.0	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware mercury-userdebug 9 1.0.0.200805	2.4 GHz	1	1	
200805.0328 test-keys	5 GHz	1	1	
Certifications				
2.4 GHz Spectrum Capabilities	WPA™-Enterprise			
20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz	WPA™-Personal			
40 MHZ Channel Width in 2.4 GHZ	Wi-Fi CERTIFIED™	″ a		
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	MCS 8-9 Rx			
80 MHz Channel Width in 5 GHz	Short Guard Interval STBC			
	LDPC Tx			
Protected Management Frames	Wi-Fi CERTIFIED™	/ b	-	
WMM®				
WPA2™-Enterprise 2018-04	Wi-Fi CERTIFIED™	[^] g		
EAP methods	Wi-Fi CERTIFIED™ n			
EAP TLS EAP TTLS	STBC			
PEAPv0 PEAPv1	A-MPDU Tx OBSS on Extension Channel			
	Short Guard Interval			
WPA2™-Personal 2018-04	Wi-Fi Direct®			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA100622



Role: Station

Page 4 of 4

Wi-Fi Protected Setup™

PIN

Pushbutton