



Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs



Certification ID: WFA114469

Product Info

Date of Certification	September 27, 2021
Company	Desay SV Automotive
Product Name	Carmax LC300 12.3 inch
Product Model Variant	NV2931/06
Model Number	NV2931/06
Category	Other
Sub-category	Other

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM®
Security	Protected Management Frames WPA2™-Personal 2018-04 WPA3™-Personal 2019-08



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114469



Role: Access Point

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:8.1.0

Wi-Fi Component Firmware

V1.8

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx
MCS 8-9 Rx
Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel
Short Guard Interval
A-MPDU Tx



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114469



Role: Station

Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android, version:8.1.0

Wi-Fi Component Firmware

V1.8

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU
LDPC Rx

Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
A-MPDU Tx
HT Duplicate Mode
OBSS on Extension Channel
Short Guard Interval