



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA114631** 

## **Product Info**

**Date of Certification** February 11, 2022

**Company** Mercury Corporation

Product Name GiGA WiFi home 6E

Product Model Variant 6E, 6G, EasyMesh

Model Number KM16-112H

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

**Optimization** WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2020-02





**Certification ID: WFA114631** 

Role: Access Point	Page 2 of 4

### Wi-Fi Components

Wi-Fi Component Operating System

Linux, version:4.4.60

Wi-Fi Component Firmware

V11.4

### **RF Architecture**

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

### Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

### **6 GHz Spectrum Capabilities**

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz 160 MHz Channel Width in 6 GHz

## **Protected Management Frames**

**WMM®** 

WPA2™-Personal 2021-01

### WPA3™-Personal 2020-02

# Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list Cellular Data aware

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

Beamforming sounding

BSRP Trigger frame

Co-located BSS

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx





**Certification ID: WFA114631** 

# Role: Access Point Page 3 of 4

### Wi-Fi CERTIFIED 6® (continued)

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

Wi-Fi 6E

## Wi-Fi CERTIFIED™ n (continued)

A-MPDU Tx

### Wi-Fi Enhanced Open™ 2021-01

### Wi-Fi Protected Setup™

PIN

Pushbutton

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC





**Certification ID: WFA114631** 

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux, version:4.4.60

Certifications

Wi-Fi EasyMesh™