



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA114717**

## Product Info

<b>Date of Certification</b>	January 28, 2022
<b>Company</b>	MediaTek Inc.
<b>Product Name</b>	KIWI
<b>Product Model Variant</b>	MT7902
<b>Model Number</b>	MT7902
<b>Category</b>	Other
<b>Sub-category</b>	Reference Design

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
<b>Access</b>	Wi-Fi Protected Setup™
<b>Connectivity</b>	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
<b>Optimization</b>	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
<b>Security</b>	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114717



## Summary of Certifications (continued)

Page 2 of 4

### CLASSIFICATION

### CERTIFICATION

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114717



Role: Station

Page 3 of 4

## Wi-Fi Components

### Wi-Fi Component Operating System

Windows 11

### Wi-Fi Component Firmware

Windows

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	1	1
5 GHz	1	1
6 GHz	1	1

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz  
40 MHz Channel Width in 6 GHz  
80 MHz Channel Width in 6 GHz  
160 MHz Channel Width in 6 GHz

### Protected Management Frames

### Spectrum & Regulatory

### Spectrum & Regulatory (continued)

802.11h

### WMM®

### WMM®-Power Save

### WPA2™-Enterprise 2018-04

EAP methods  
EAP TLS  
PEAPv0

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2020-02

EAP methods  
EAP TLS  
PEAPv0  
Server Certificate Validation

### WPA3™-Personal 2020-12



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114717



Role: Station

Page 4 of 4

## Wi-Fi Agile Multiband™

Beacon Report Measurement Passive Mode

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL MU PPDU multi-tone  
DL MU-MIMO  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
Operating mode subfield in A-Control field  
Operating mode indication  
SU beamformee  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx

## Wi-Fi CERTIFIED™ ac (continued)

MCS 8-9 Rx  
Short Guard Interval  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Power Management  
Short Guard Interval

## Wi-Fi Direct®

## Wi-Fi Enhanced Open™ 2021-01

## Wi-Fi Protected Setup™

PIN  
Pushbutton