

## Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

## Certification ID: WFA102030

### **Product Info**

Date of Certification	October 26, 2021
Company	Microsoft
Product Name	Surface (AX201)
Product Model Variant	Surface Pro 8 LTE (Model 1982)
Model Number	Surface (AX201)
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2020-02 WPA3 <sup>™</sup> -Personal 2020-02 WPA <sup>™</sup> -Enterprise



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA102030** 



Summary of Certifica	tions (continued)	Page 2 of 4
CLASSIFICATION	CERTIFICATION	
Security	WPA™-Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA102030



Role: Station		Pa	age 3 of 4	
Wi-Fi Components				
Wi-Fi Component Operating System	RF Architecture			
Windows 11	Bands Supported	Transmit (Tx)	Receive (Rx)	
Wi-Fi Component Firmware	2.4 GHz	2	2	
22.80	5 GHz	2	2	
	0.0112	2	L	
Certifications				
2.4 GHz Spectrum Capabilities	WPA2™-Enterprise 2018-04			
20 MHz Channel Width in 2.4 GHz	EAP methods			
40 MHz Channel Width in 2.4 GHz	EAP TLS			
	EAP TTLS PEAPv0			
5 GHz Spectrum Capabilities				
20 MHz Channel Width in 5 GHz	WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02			
40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz				
160 MHz Channel Width in 5 GHz		0e 2020-02	_	
	EAP methods EAP TLS			
Protected Management Frames	EAP TTLS			
Spectrum & Regulatory	PEAPv0			
	192-bit security 192-bit security RS/	A 3K with the		
802.11h	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 cipher suite			
WMM®	Server Certificate Valida	ation		
WMM®-Power Save	WPA3™-Personal	2020-02		
Legacy Power Save Unschedule auto PS	WPA™-Enterprise			
	WPA™-Personal			



## Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA102030



### **Role: Station**

#### Wi-Fi Agile Multiband™

Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) DL Mu PPDU multi-tone DL MU-MIMO HE NDP Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame OM Control field Tx OM subfield in A-Control field Operating Mode indication SU beamformee **UL OFDMA** UL TB PPDU multi-tone

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support A-MPDU with A-MSDU DL MU-MIMO

### Page 4 of 4

#### Wi-Fi CERTIFIED<u>™ ac (continued)</u>

LDPC Rx

MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

STBC

A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval

#### Wi-Fi Direct®

#### Wi-Fi Enhanced Open™ 2021-01

#### Wi-Fi Protected Setup™

PIN

Pushbutton