



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA110240

Product Info

Date of Certification November 4, 2021

Company Fortinet Inc.

Product Name FortiAP 433F and FortiGate 800D Controller

Product Model Variant FortiAP 433F and FortiGate Controller – Additional certification with

Passpoint R3

Model Number FAP-433F and FG-800D Controller

Category Routers

Sub-category Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Passpoint® Release 3

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2020-02

Optimization WMM®

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2020-02 WPA3[™]-Enterprise 2020-02 WPA3[™]-Personal 2020-02

WPA™-Enterprise WPA™-Personal





Certification ID: WFA110240

Summary	/ of	Certifica	tions	(continued	١
- Oullillial y		OGI HIIGA	เเบเเอ	CONTINUE	

Page 2 of 5

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory

Spectrum & Regulatory

Features



Certification ID: WFA110240



Role: Access Point Page 3 of 5

Wi-Fi Components

Wi-Fi Component Operating System

FortiOS

Wi-Fi Component Firmware

Roaming Consortium Selection

Terms and Conditions

6.4

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 4

5 GHz 4 4

Certifications

2.4 GHz Spectrum Capabilities Spectrum & Regulatory (continued)

20 MHz Channel Width in 2.4 GHz 802.11d 40 MHz Channel Width in 2.4 GHz 802.11h

5 GHz Spectrum Capabilities WMM®

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

WMM®-Power Save

80 MHz Channel Width in 5 GHz

Legacy Power Save

160 MHz Channel Width in 5 GHz

Unschedule auto PS

Passpoint® Release 3 WPA2™-Enterprise 2018-04

Online Sign Up and Policy provisioning EAP methods

Online Sign Up using single SSID

Venue Information WPA2™-Personal 2020-02

WPA3™-Enterprise 2020-02

Protected Management Frames EAP methods

Spectrum & Regulatory Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

192-bit security



Certification ID: WFA110240



Role: Access Point Page 4 of 5

WPA3[™]-Enterprise 2020-02 (continued)

Fast Transition OTDS on WPA3-Enterprise

WPA3™-Personal 2020-02

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list

Cellular Data aware

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® (continued)

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating Mode indication

SU beamformer

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC





Certification ID: WFA110240

Role: Access Point	Page 5 of 5
Wi-Fi CERTIFIED™ n (continued)	
A-MPDU Tx	
Wi-Fi Enhanced Open™ 2020-02	