

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA100148**

## **Product Info**

**Date of Certification** November 23, 2021

Company MediaTek Inc.

Product Name MT7921

Product Model Variant P2P version

Model Number MT7921

**Category** Other

**Sub-category** Reference Design

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Optimization WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Enterprise 2018-04 WPA3<sup>™</sup>-Personal 2019-08

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA100148** 



Role: Station Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Windows 10

Wi-Fi Component Firmware

Windows 10

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

**5 GHz Spectrum Capabilities** 

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA3™-Personal 2019-08

WPA2™-Personal 2018-04

WPA3™-Enterprise 2018-04

EAP methods EAP TLS

PEAPv0

Wi-Fi Agile Multiband™

**Spectrum & Regulatory** 

**Protected Management Frames** 

802.11h

**WMM®** 

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

PEAPv0

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Beacon Report Measurement Passive Mode

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA100148** 



Role: Station Page 3 of 3

#### Wi-Fi CERTIFIED 6® (continued)

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSID

Operating mode control field

Operating mode subfield in A-Control field

SU beamformee

**UL OFDMA** 

## Wi-Fi CERTIFIED™ n (continued)

**OBSS on Extension Channel** 

**Power Management** 

Short Guard Interval

#### Wi-Fi Direct®

#### Wi-Fi Protected Setup™

PIN

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

RTS with BW Signaling

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

#### Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

A-MPDU Tx

HT Duplicate Mode