

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA79960

Product Info

Date of Certification November 29, 2021

Company LG Electronics

Product Name IAH1433AELP

Product Model Variant WFA79178:2021-09-30

Model Number IAH1433AELP

Category Other

Sub-category Navigation/GPS

Summary of Certifications

CLASSIFICATION CERTIFICATION

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Optimization WMM®

Security Protected Management Frames

WPA2™-Personal 2018-04



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA79960



Role: Access Point		P	age 2 of 3
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Wi-Fi Component Firmware v1.0	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	1	1
	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™	Mac (continued))
20 MHz Channel Width in 2.4 GHz	STBC		
	W E SERVICIO		_
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b		
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g		
	Wi-Fi CERTIFIED™	™ n	
Protected Management Frames	HT Duplicate Mode		
	OBSS on Extension Cha Short Guard Interval	annel	
WMM®	STBC A-MPDU Tx		
WPA2™-Personal 2018-04	A-WIFDO IX		
Wi-Fi CERTIFIED™ a			
Wi-Fi CERTIFIED™ ac			
A-MPDU with A-MSDU			
LDPC Rx LDPC Tx			
MCS 8-9 Rx			
Short Guard Interval			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA79960



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

v1.0

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

RIFS

Short Guard Interval

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC