

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA79962**

## **Product Info**

**Date of Certification** November 29, 2021

Company LG Electronics

Product Name IAH1433AENE

Product Model Variant WFA79178:2021-09-30

Model Number IAH1433AENE

**Category** Other

**Sub-category** Navigation/GPS

# **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Security Protected Management Frames

WPA2™-Personal 2018-04



# Wi-Fi CERTIFIED™ Certificate

# **Certification ID: WFA79962**



Role: Access Point	Page 2 of 3

Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux

Wi-Fi Component Firmware

v1.0

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

## Certifications

## 2.4 GHz Spectrum Capabilities Wi-Fi CERTIFIED™ ac (continued)

20 MHz Channel Width in 2.4 GHz

STBC

#### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

## Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

### **Protected Management Frames**

**WMM®** 

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA79962** 



Role: Station Page 3 of 3

Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux

Wi-Fi Component Firmware

v1.0

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

## Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2018-04

Wi-Fi CERTIFIED™ a

STBC

A-MPDU Tx

HT Duplicate Mode

**OBSS** on Extension Channel

RIFS

Short Guard Interval

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC