

# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# **Certification ID: WFA116881**

## **Product Info**

Date of Certification July 25, 2022

Company SonicWall Inc.

Product Name SonicWall SonicWave 641

Product Model Variant New Product (no variant)

Model Number APL67-107

**Category** Routers

**Sub-category** Enterprise/Service Provider Access Point, Switch/Controller or Router

## **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Optimization WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Enterprise 2018-04 WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Enterprise 2020-02 WPA3<sup>™</sup>-Personal 2020-12

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

**Certification ID: WFA116881** 



Role: Access Point Page 2 of 3

Wi-Fi Components

**Wi-Fi Component Operating System** 

SonicOS

Wi-Fi Component Firmware

SonicOS 9.6.3.9

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 4

Wi-Fi Component Operating System

**SonicOS** 

Wi-Fi Component Firmware

SonicOS 9.6.3.9

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 4 4

## **Certifications**

## 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

## WPA2™-Enterprise 2018-04

EAP methods

#### **5 GHz Spectrum Capabilities**

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

## WPA2™-Personal 2021-01

#### WPA3™-Enterprise 2020-02

EAP methods

192-bit security

Fast Transition OTA on WPA3-Enterprise

Fast Transition OTA on WPA3-Enterprise transition mode

Fast Transition OTDS on WPA3-Enterprise

# **Protected Management Frames**

#### **Spectrum & Regulatory**

802.11d 802.11h

#### WPA3™-Personal 2020-12

Fast Transition OTA on WPA3-Personal

Fast Transition OTA on WPA3-Personal transition mode

Fast Transition OTDS on WPA3-Personal

#### **WMM®**

#### Wi-Fi Agile Multiband™



# Wi-Fi CERTIFIED™ Certificate





Role: Access Point Page 3 of 3

#### Wi-Fi Agile Multiband™ (continued)

Automatically populate BSS Transition candidate list

Fast Transition OTA on WPA2-Enterprise

Fast Transition OTA on WPA2-Personal

#### Wi-Fi CERTIFIED 6®

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

**BSRP** Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

**UL OFDMA** 

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

RTS with BW Signaling

#### Wi-Fi CERTIFIED™ ac (continued)

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx