



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA117213

Product Info

Date of Certification October 24, 2022

Company Google, Inc.

Product Name GTU8P

Product Model Variant DEV2

Model Number GTU8P

Category Tablets, Ereaders & Cameras

Sub-category Tablet (Wi-Fi only)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames

WPA2[™]-Enterprise 2018-04 WPA2[™]-Personal 2021-01 WPA3[™]-Enterprise 2020-02





Certification ID: WFA117213

Summary of Certifications (continued)

Page 2 of 4

CLASSIFICATION CERTIFICATION

Security WPA3[™]-Personal 2020-12

Spectrum & Regulatory

Features

Spectrum & Regulatory



Certification ID: WFA117213



Role: Station Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

18.36.3501.7

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

WMM®-Power Save (continued)

Legacy Power Save Unschedule auto PS

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

WPA2™-Enterprise 2018-04

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

Spectrum & Regulatory

Protected Management Frames

802.11h

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

Voice-Enterprise

WMM®

WMM®-Admission Control

WMM®-Power Save

EAP methods

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite







Role: Station Page 4 of 4

WPA3™-Enterprise 2020-02 (continued)

Fast Transition OTA on WPA3-Enterprise Fast Transition OTDS on WPA3-Enterprise Server Certificate Validation

WPA3™-Personal 2020-12

Fast Transition OTA on WPA3-Personal
Fast Transition OTA on WPA3-Personal transition mode
Fast Transition OTDS on WPA3-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

BSRP Trigger frame

DL MU PPDU multi-tone

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

Wi-Fi CERTIFIED 6® (continued)

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

A-MPDU Tx

OBSS on Extension Channel

Short Guard Interval

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01