



# Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)

**Certification ID: WFA117317**

## Product Info

Date of Certification	January 5, 2022
Company	Motorola Mobility LLC
Product Name	XT2201-2
Product Model Variant	XT2201-2 (Android 12.0)
Model Number	XT2201-2
Category	Phones
Sub-category	Smartphone

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Miracast® Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



## Summary of Certifications (continued)

Page 2 of 7

### CLASSIFICATION

### CERTIFICATION

#### Security

WPA2™-Enterprise 2018-04  
WPA2™-Personal 2021-01  
WPA3™-Enterprise 2020-02  
WPA3™-Personal 2020-12  
WPA™-Enterprise  
WPA™-Personal



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



Role: Access Point

Page 3 of 7

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 12

### Wi-Fi Component Firmware

HSP.2.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2021-01

### WPA3™-Personal 2020-12

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



Role: Station

Page 4 of 7

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 12

### Wi-Fi Component Firmware

HSP.2.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2
6 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

### 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

### Protected Management Frames

### Voice-Enterprise

### WMM®

### WMM®-Admission Control

### WMM®-Power Save

Legacy Power Save

Unschedule auto PS

### WPA2™-Enterprise 2018-04

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

### WPA2™-Personal 2021-01

### WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



Role: Station

Page 5 of 7

## WPA3™-Enterprise 2020-02 (continued)

EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1  
192-bit security  
Server Certificate Validation

## WPA3™-Personal 2020-12

## WPA™-Enterprise

## WPA™-Personal

## Wi-Fi Agile Multiband™

ANQP  
ANQP-based Neighbor report  
Beacon Report Measurement Active Mode  
Beacon Report Measurement Passive Mode  
BTM Query  
Cellular Data capable

## Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
Beamforming sounding  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
Compressed Block Ack Tx (buffer size 256)  
DL Mu PPDU multi-tone  
DL MU-MIMO  
HE NDP  
Individual Target Wake Time  
LDPC Rx

## Wi-Fi CERTIFIED 6® (continued)

LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
OM Control field Tx  
OM subfield in A-Control field  
Operating Mode indication  
SU beamformee  
SU-MIMO  
UL OFDMA  
UL TB PPDU multi-tone  
Wi-Fi 6E

## Wi-Fi CERTIFIED™ a

## Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

## Wi-Fi CERTIFIED™ b

## Wi-Fi CERTIFIED™ g

## Wi-Fi CERTIFIED™ n



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



Role: Station

Page 6 of 7

## Wi-Fi CERTIFIED™ n (continued)

STBC  
A-MPDU Tx  
OBSS on Extension Channel  
Power Management  
Short Guard Interval

## Wi-Fi Direct®

## Wi-Fi Enhanced Open™ 2021-01

## Wi-Fi Protected Setup™

PIN  
Pushbutton



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA117317



Role: Source

Page 7 of 7

## Wi-Fi Components

### Wi-Fi Component Operating System

Android 12

### Wi-Fi Component Firmware

HSP.2.0

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

Miracast®