



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA117320

Product Info

Date of Certification January 5, 2022

Company Motorola Mobility LLC

Product Name XT2201-5

Product Model Variant XT2201-5 (Android 12.0)

Model Number XT2201-5

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Miracast®

Voice-Enterprise

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames





Summary of Certifications (continued)		Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-12 WPA [™] -Enterprise	





Certification ID: WFA117320

Role: Access Point	Page 3 of 7
Role: Access I clift	i age o or r

Wi-Fi Components

Wi-Fi Component Operating System

Android 12

Wi-Fi Component Firmware

HSP.2.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8 Rx

MCS 8-9 Rx

Short Guard Interval

STBC

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx





Vi-Fi Components Vi-Fi Component Operating System Android 12 Vi-Fi Component Firmware HSP.2.0 Certifications	RF Architecture Bands Supported 2.4 GHz 5 GHz 6 GHz	Transmit (Tx) 2 2 2	Receive (Rx) 2 2 2
Android 12 Wi-Fi Component Firmware HSP.2.0	Bands Supported 2.4 GHz 5 GHz	2	2
Wi-Fi Component Firmware	2.4 GHz 5 GHz	2	2
HSP.2.0	5 GHz	2	2
		_	_
'ortifications	6 GHz	2	2
'artifications			
eruncations			
2.4 GHz Spectrum Capabilities	WMM®-Power Sav	/e	
20 MHz Channel Width in 2.4 GHz	Legacy Power Save Unschedule auto PS		
5 GHz Spectrum Capabilities			
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz	WPA2™-Enterpris EAP methods	e 2018-04	
80 MHz Channel Width in 5 GHz	EAP AKA		
	EAP AKA Prime EAP SIM		
6 GHz Spectrum Capabilities	EAP TLS		
20 MHz Channel Width in 6 GHz	EAP TTLS PEAPv0		
40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz	PEAPv1		
Protected Management Frames	WPA2™-Personal	2021-01	
Voice-Enterprise	WPA3™-Enterpris	e 2020-02	
WMM®	EAP methods EAP AKA		
WMM®-Admission Control	EAP AKA Prime		





Certification ID: WFA117320

Role: Station Page 5 of 7

WPA3™-Enterprise 2020-02 (continued)

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

Server Certificate Validation

WPA3™-Personal 2020-12

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

Wi-Fi CERTIFIED 6® (continued)

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

OM subfield in A-Control field

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

STBC

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n





cole: Station	Page 6 of 7
Wi-Fi CERTIFIED™ n (continued)	
STBC	
A-MPDU Tx	
OBSS on Extension Channel	
Power Management	
Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
PIN	
Pushbutton	
1 dollouttoll	





Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 12	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware HSP.2.0	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
Miracast®			