



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

# Certification ID: WFA117321

## **Product Info**

Date of Certification	January 5, 2022
Company	Motorola Mobility LLC
Product Name	XT2201-6
Product Model Variant	XT2201-6 (Android 12.0)
Model Number	XT2201-6
Category	Phones
Sub-category	Smartphone

### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
Access	Wi-Fi Protected Setup™
Applications & Services	Miracast® Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct® Wi-Fi Enhanced Open™ 2021-01
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames



**Certification ID: WFA117321** 



Summary of Certific	cations (continued)	Page 2 of 7
CLASSIFICATION	CERTIFICATION	
Security	WPA2 <sup>™</sup> -Enterprise 2018-04 WPA2 <sup>™</sup> -Personal 2021-01 WPA3 <sup>™</sup> -Enterprise 2020-02 WPA3 <sup>™</sup> -Personal 2020-12 WPA <sup>™</sup> -Enterprise WPA <sup>™</sup> -Personal	



Certification ID: WFA117321



Role: Access Point Page 3 of 7			age 3 of 7
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android 12 Wi-Fi Component Firmware HSP.2.0	Bands Supported	Transmit (Tx)	Receive (Rx)
	2.4 GHz	2	2
	5 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ a		
20 MHz Channel Width in 2.4 GHz	Wi-Fi CERTIFIED™ ac		
5 GHz Spectrum Capabilities	A-MPDU with A-MSDU		

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz

#### **Protected Management Frames**

WMM®

WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Personal 2020-12

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx A-MPDU with A-MSDU LDPC Rx LDPC Tx MCS 8 Rx MCS 8-9 Rx Short Guard Interval STBC

#### Wi-Fi CERTIFIED™ b

#### Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx



Certification ID: WFA117321



#### **Role: Station** Page 4 of 7 **Wi-Fi Components** Wi-Fi Component Operating System **RF** Architecture Android 12 Bands Supported Transmit (Tx) Receive (Rx) Wi-Fi Component Firmware 2.4 GHz 2 2 HSP.2.0 5 GHz 2 2 6 GHz 2 2 Certifications WMM®-Power Save 2.4 GHz Spectrum Capabilities 20 MHz Channel Width in 2.4 GHz Legacy Power Save Unschedule auto PS **5 GHz Spectrum Capabilities**

#### WPA2™-Enterprise 2018-04

EAP methods EAP AKA EAP AKA Prime EAP SIM EAP TLS EAP TTLS PEAPv0 PEAPv1

## 6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

#### Protected Management Frames

Voice-Enterprise

WMM®

WMM®-Admission Control

#### WPA2<sup>™</sup>-Personal 2021-01

WPA3<sup>™</sup>-Enterprise 2020-02

EAP methods EAP AKA EAP AKA Prime EAP SIM



# Wi-Fi CERTIFIED<sup>™</sup> Certificate Certification ID: WFA117321



### **Role: Station**

### Page 5 of 7

### WPA3<sup>™</sup>-Enterprise 2020-02 (continued)

EAP TLS EAP TTLS PEAPv0 PEAPv1 192-bit security Server Certificate Validation

#### WPA3<sup>™</sup>-Personal 2020-12

#### WPA<sup>™</sup>-Enterprise

#### WPA<sup>™</sup>-Personal

#### Wi-Fi Agile Multiband™

#### ANQP

ANQP-based Neighbor report Beacon Report Measurement Active Mode Beacon Report Measurement Passive Mode BTM Query Cellular Data capable

#### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU Beamforming sounding BSRP Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL Mu PPDU multi-tone DL MU-MIMO HE NDP Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame **MU-RTS** Trigger frame OM Control field Tx OM subfield in A-Control field Operating Mode indication SU beamformee SU-MIMO **UL OFDMA** UL TB PPDU multi-tone Wi-Fi 6E

Wi-Fi CERTIFIED 6® (continued)

#### Wi-Fi CERTIFIED™ a

#### Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU DL MU-MIMO LDPC Rx MCS 8-9 Rx Short Guard Interval STBC LDPC Tx SU beamformee

#### Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

#### Wi-Fi CERTIFIED™ n

This certificate was downloaded on 2024-05-02 at 11:49:31 UTC



# **Certification ID: WFA117321**



## **Role: Station**

# Page 6 of 7

#### Wi-Fi CERTIFIED™ n (continued)

STBC

A-MPDU Tx OBSS on Extension Channel Power Management Short Guard Interval

#### Wi-Fi Direct®

Wi-Fi Enhanced Open<sup>™</sup> 2021-01

#### Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA117321



Role: Source	Page 7 of 7		
Wi-Fi Components			
Wi-Fi Component Operating System			
Android 12	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
HSP.2.0	5 GHz	2	2
Certifications			

Miracast®