



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA117592

Product Info

Date of Certification January 13, 2022

Company Google, Inc.

Product Name GX7AS, G1AZG, GB17L

Product Model Variant GX7AS, G1AZG, GB17L

Model Number GX7AS, G1AZG, GB17L

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames





Certification ID: WFA117592

Summary of Certifications (continued)		Page 2 of 6
CLASSIFICATION	CERTIFICATION	
Security	WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-02 WPA3 [™] -Personal 2020-12 WPA [™] -Enterprise WPA [™] -Personal	
Spectrum & Regulatory Features	Spectrum & Regulatory	







Role: Access Point Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

20.25.485.7

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

30-

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3[™]-Personal 2020<u>-</u>02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® (continued)

Operating Mode indication

SU-MIMO

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx







Role: Station		P	age 4 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	2	2
20.25.485.7	5 GHz	2	2
	6 GHz	2	2
Certifications			
2.4 GHz Spectrum Capabilities	Voice-Enterprise		
20 MHz Channel Width in 2.4 GHz	WMM®		
5 GHz Spectrum Capabilities	WMM®-Admissio	n Control	
20 MHz Channel Width in 5 GHz	WMM®-Power Sa	ve	
40 MHz Channel Width in 5 GHz	Legacy Power Save		
80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz	Unschedule auto PS		
6 GHz Spectrum Capabilities	WPA2™-Enterpri	se 2018-04	
	EAP methods		
20 MHz Channel Width in 6 GHz 40 MHz Channel Width in 6 GHz	EAP AKA Brima		
80 MHz Channel Width in 6 GHz	EAP AKA Prime EAP SIM		
160 MHz Channel Width in 6 GHz	EAP TLS		
	EAP TTLS		
	DEVD		
Protected Management Frames	PEAPv0 PEAPv1		
Protected Management Frames Spectrum & Regulatory			



Certification ID: WFA117592

Role: Station Page 5 of 6

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Server Certificate Validation

WPA3™-Personal 2020-12

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL Mu PPDU multi-tone

DL MU-MIMO

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

OM Control field Tx

Operating Mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx





Certification ID: WFA117592

Role: Station	Page 6 of 6
Wi-Fi CERTIFIED™ ac (continued)	
SU beamformee	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
A-MPDU Tx	
OBSS on Extension Channel	
Short Guard Interval	
Wi-Fi Direct®	
Wi-Fi Enhanced Open™ 2021-01	
Wi-Fi Protected Setup™	
Pushbutton	