



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

**Certification ID: WFA117183** 

#### **Product Info**

**Date of Certification** February 24, 2022

**Company** ZTE Corporation

Product Name Optical Network Unit

**Product Model Variant** ZXHN F6107.

Model Number ZXHN F6107

**Category** Routers

**Sub-category** Cable, DSL or Other Broadband Gateway (Integrated Home Access

Device)

#### **Summary of Certifications**

CLASSIFICATION	CERTIFICATION
----------------	---------------

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2<sup>™</sup>-Personal 2018-04 WPA3<sup>™</sup>-Personal 2019-08

**Spectrum & Regulatory** 

**Features** 

Spectrum & Regulatory



**Certification ID: WFA117183** 



Role: Access Point Page 2 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

V1.0

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 2 2

**Certifications** 

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz Wi-Fi Agile Multiband™ (continued)

Cellular Data aware

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

**Spectrum & Regulatory** 

802.11d

**WMM®** 

WPA2™-Personal 2018-04

WPA3™-Personal 2019-08

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Operating Mode indication

TXOP RTS Threshold

UL OFDMA

Wi-Fi CERTIFIED™ a





**Certification ID: WFA117183** 

Role: Access Point	Page 3 of 4
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
LDPC Rx	
LDPC Tx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
Wi-Fi CERTIFIED™ n	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
A-MPDU Tx	





**Certification ID: WFA117183** 

Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Certifications

Wi-Fi EasyMesh™