



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA118600**

#### **Product Info**

**Date of Certification** March 7, 2022

**Company** Panasonic Automotive Systems Co., Ltd.

Product Name Car Audio System

Product Model Variant Source

Model Number CN-SL5BE7AJ1

**Category** Other

Sub-category In-vehicle Network

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

**Applications & Services** Miracast®

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

**Optimization** WMM®

WMM®-Power Save

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2020-02 WPA3<sup>™</sup>-Personal 2020-02

Spectrum & Regulatory

**Features** 

Spectrum & Regulatory



**Certification ID: WFA118600** 



Role: Access Point Page 2 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.14.75

Wi-Fi Component Firmware

17.68.4.p6

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 1

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

**Protected Management Frames** 

**Spectrum & Regulatory** 

802.11d

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

**WMM®** 

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

WPA2™-Personal 2020-02

Wi-Fi CERTIFIED™ n

HT Duplicate Mode

**OBSS** on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx







Role: Access Point	Page 3 of 6
Wi-Fi Protected Setup™	
PIN Pushbutton	



**Certification ID: WFA118600** 



Role: Station		Pa	age 4 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.14.75	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
17.68.4.p6	5 GHz	2	2
Certifications			

	5 GHz 2 2
Certifications	
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac
20 MHz Channel Width in 2.4 GHz	A-MPDU with A-MSDU LDPC Rx
5 GHz Spectrum Capabilities	MCS 8-9 Rx Short Guard Interval
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	STBC LDPC Tx SU beamformee
Protected Management Frames	Wi-Fi CERTIFIED™ b
WMM®	Wi-Fi CERTIFIED™ g
WMM®-Power Save	Wi-Fi CERTIFIED™ n
Legacy Power Save Unschedule auto PS	STBC A-MPDU Tx HT Duplicate Mode OBSS on Extension Channel
MIDAGIM Barranal 2000 00	Power Management

	OBSS on Extension Channel
WPA2™-Personal 2020-02	Power Management
	Short Guard Interval
WPA3™-Personal 2020-02	
	Wi-Fi Direct®
Wi-Fi CERTIFIED™ a	Wi-i i Birecto
	W: F: Protocted Cotum IM
	Wi-Fi Protected Setup™



**Certification ID: WFA118600** 



ole: Station	Page 5
Wi-Fi Protected Setup™ (continued)	
PIN	
Pushbutton	





**Certification ID: WFA118600** 

Role: Display	ole: Display Page 6 of 6		age 6 of 6
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Linux 4.14.75	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1
17.68.4.p6	5 GHz	2	2
Certifications  Miracast®  HDCP Encryption			