



Wi-Fi CERTIFIED® Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org

Certification ID: WFA114775

Product Info

Date of Certification	March 17, 2022
Company	Cisco Systems Inc.
Product Name	Cisco Catalyst 9800-L Wireless Controller and Cisco C9136I AP
Product Model Variant	Cisco IOS XE: 17.8
Model Number	C9800-L and C9136I
Category	Routers
Sub-category	Enterprise/Service Provider Access Point, Switch/Controller or Router

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Network management	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12 Wi-Fi Enhanced Open™ 2021-01
Wi-Fi (MAC/PHY)	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Spectrum & Regulatory Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n

This certificate was downloaded on **2026-04-22** at **01:50:31** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA114775



Role: Access Point

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version: 17.8

Wi-Fi Component Firmware

17.8

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	4	4
5 GHz	8	8
6 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Spectrum & Regulatory (continued)

802.11h

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
40 MHz Channel Width in 5 GHz
80 MHz Channel Width in 5 GHz
160 MHz Channel Width in 5 GHz

WMM®

WMM®-Power Save

Legacy Power Save
Unschedule auto PS

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz
40 MHz Channel Width in 6 GHz
80 MHz Channel Width in 6 GHz
160 MHz Channel Width in 6 GHz

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods
192-bit security

Protected Management Frames

Spectrum & Regulatory

802.11d

WPA3™-Personal 2020-12

This certificate was downloaded on **2026-04-22** at **01:50:31** UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED® Certificate

Certification ID: WFA114775



Role: Access Point

Page 3 of 3

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list
Fast Transition OTA on WPA2-Enterprise
Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6® (continued)

Target Wake Time information frames
Extended sleep
M-BSSID control frames

Wi-Fi CERTIFIED 6®

4 antenna support
A-MPDU with A-MSDU
Beamforming sounding
BSRP Trigger frame
Compressed Block Ack Rx (buffer size 256)
Compressed Block Ack Tx (buffer size 256)
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU-BAR Trigger frame
MU-RTS Trigger frame
M-BSSID
Operating mode subfield in A-Control field
Operating mode indication
Operating mode UL MU Rx
SU beamformer
SU-MIMO
UL OFDMA
Wi-Fi 6E
 Co-located BSS
Wi-Fi 6 Release 2 features
 UL MU-MIMO
 UL Extended Range

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel
Short Guard Interval
STBC
A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01

This certificate was downloaded on 2026-04-22 at 01:50:31 UTC

Wi-Fi®, Wi-Fi CERTIFIED®, Wi-Fi Alliance®, the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and [other marks](#) are trademarks of Wi-Fi Alliance. Matter™ is a trademark of the Connectivity Standards Alliance.