



# Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: [www.wi-fi.org/certification/programs](http://www.wi-fi.org/certification/programs)



**Certification ID: WFA119387**

## Product Info

Date of Certification	May 12, 2022
Company	Huawei Device Co., Ltd.
Product Name	Tablet
Product Model Variant	WGRR-W09 V2
Model Number	WGRR-W09
Category	Tablets, Ereaders & Cameras
Sub-category	Tablet (Wi-Fi and other)

## Summary of Certifications

CLASSIFICATION	CERTIFICATION
Applications & Services	Voice-Enterprise
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Direct®
Optimization	WMM® WMM®-Admission Control WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2018-04 WPA3™-Enterprise 2018-04 WPA3™-Personal 2019-08 WPA™-Enterprise



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA119387



## Summary of Certifications (continued)

Page 2 of 5

### CLASSIFICATION

### CERTIFICATION

Security

WPA™-Personal

Spectrum & Regulatory  
Features

Spectrum & Regulatory



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA119387



Role: Access Point

Page 3 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

HarmonyOS

### Wi-Fi Component Firmware

Hi1105V100

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### Protected Management Frames

### WMM®

### WPA2™-Personal 2018-04

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
RTS with BW Signaling  
A-MPDU with A-MSDU

### Wi-Fi CERTIFIED™ ac (continued)

LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
Short Guard Interval  
STBC

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval  
STBC  
A-MPDU Tx



# Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA119387



Role: Station

Page 4 of 5

## Wi-Fi Components

### Wi-Fi Component Operating System

HarmonyOS

### Wi-Fi Component Firmware

Hi1105V100

### RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

## Certifications

### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz  
40 MHz Channel Width in 2.4 GHz

### WMM®-Power Save (continued)

Legacy Power Save  
Unschedule auto PS

### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz  
40 MHz Channel Width in 5 GHz  
80 MHz Channel Width in 5 GHz  
160 MHz Channel Width in 5 GHz

### WPA2™-Enterprise 2018-04

EAP methods  
EAP AKA  
EAP AKA Prime  
EAP SIM  
EAP TLS  
EAP TTLS  
PEAPv0  
PEAPv1

### Protected Management Frames

### Spectrum & Regulatory

802.11h

### WPA2™-Personal 2018-04

### Voice-Enterprise

### WPA3™-Enterprise 2018-04

### WMM®

EAP methods  
EAP AKA  
EAP AKA Prime  
EAP SIM  
EAP TLS

### WMM®-Admission Control

### WMM®-Power Save



# Wi-Fi CERTIFIED™ Certificate

## Certification ID: WFA119387



Role: Station

Page 5 of 5

### WPA3™-Enterprise 2018-04 (continued)

EAP TTLS  
PEAPv0  
PEAPv1

### WPA3™-Personal 2019-08

### WPA™-Enterprise

### WPA™-Personal

### Wi-Fi Agile Multiband™

Cellular Data capable

### Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU  
BSRP Trigger frame  
Compressed Block Ack Rx (buffer size 256)  
DL Mu PPDU multi-tone  
DL MU-MIMO  
HE NDP  
Individual Target Wake Time  
LDPC Rx  
LDPC Tx  
MCS 8-9 Rx  
MCS 8-9 Tx  
MCS 10-11 Rx  
MCS 10-11 Tx  
MU EDCA Parameter Set element  
MU-BAR Trigger frame  
MU-RTS Trigger frame  
OM Control field Tx  
OM subfield in A-Control field

### Wi-Fi CERTIFIED 6® (continued)

Operating Mode indication  
SU beamformee  
UL OFDMA  
UL TB PPDU multi-tone

### Wi-Fi CERTIFIED™ a

### Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support  
RTS with BW Signaling  
A-MPDU with A-MSDU  
DL MU-MIMO  
LDPC Rx  
MCS 8-9 Rx  
Short Guard Interval  
STBC  
LDPC Tx  
SU beamformee

### Wi-Fi CERTIFIED™ b

### Wi-Fi CERTIFIED™ g

### Wi-Fi CERTIFIED™ n

STBC  
A-MPDU Tx  
HT Duplicate Mode  
OBSS on Extension Channel  
Short Guard Interval

### Wi-Fi Direct®