



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA119857

Product Info

Date of Certification March 7, 2023

Company Buffalo Inc.

Product Name BUFFALO AirStation WSR-5400XE6

Product Model Variant WSR-5400XE6 Series

Model Number WSR-5400XE6

Category Routers

Sub-category Access Point for Home or Small Office (Wireless Router)

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

Wi-Fi Agile Multiband™ Wi-Fi EasyMesh™

Security Protected Management Frames

WPA2™-Personal 2021-01 WPA3™-Personal 2020-12



Certification ID: WFA119857



Role: Access Point	Page 2 of 4
--------------------	-------------

Wi-Fi Components

Wi-Fi Component Operating System

Linux 4.19

Wi-Fi Component Firmware

Ver.1.00

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

Wi-Fi Component Operating System

Linux 4.19

Wi-Fi Component Firmware

Ver.1.00

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
5 GHz	2	2
6 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

5 GHz Spectrum Capabilities WPA3™-Personal 2020-12

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

Wi-Fi Agile Multiband™

Fast Transition OTA on WPA2-Personal

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

DL MU-MIMO

DL OFDMA

Individual Target Wake Time



Certification ID: WFA119857



Role: Access Point Page 3 of 4

Wi-Fi CERTIFIED 6® (continued)

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

Operating mode subfield in A-Control field

Operating mode indication

Operating mode UL MU Rx

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

STBC

SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Wi-Fi CERTIFIED™ n (continued)

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

STBC

A-MPDU Tx

Wi-Fi EasyMesh™

Backhaul Link

Backhaul in 2.4 GHz

Backhaul in 5 GHz low band

Backhaul over Ethernet

Fronthaul Access Point

Fronthaul in 2.4 GHz

Fronthaul in 5 GHz low band

Client Capability Query

Unassociated STA Link Metrics Reporting

Channel Scan on Request

Backhaul onboarding with Wi-Fi Protected Setup pushbutton

Coordinated CAC

Traffic separation

Wi-Fi Enhanced Open™ 2021-01

Wi-Fi Protected Setup™

PIN

Pushbutton



Certification ID: WFA119857



Role: Controller

Wi-Fi Components

Wi-Fi Component Operating System

Ver. 1.00

Certifications

Wi-Fi EasyMesh™