



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA119878

Product Info

Date of Certification May 25, 2022

Company Google, Inc.

Product Name GVU6C, G03Z5

Product Model Variant GVU6C, G03Z5

Model Number GVU6C, G03Z5

Category Phones

Sub-category Smartphone

Summary of Certifications

CLASSIFICATION CERTIFICATION

Access Wi-Fi Protected Setup™

Applications & Services Voice-Enterprise

Wi-Fi Aware™

Connectivity 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities6 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

Wi-Fi Direct®

Wi-Fi Enhanced Open™ 2021-01

Optimization WMM®

WMM®-Admission Control

WMM®-Power Save Wi-Fi Agile Multiband™

Security Protected Management Frames





Certification ID: WFA119878

| Summary of Certifica | tions (continued) | Page 2 of 6 |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| CLASSIFICATION | CERTIFICATION | |
| Security | WPA2 [™] -Enterprise 2018-04 WPA2 [™] -Personal 2021-01 WPA3 [™] -Enterprise 2020-02 WPA3 [™] -Personal 2020-02 WPA3 [™] -Personal 2020-12 | |
| Spectrum & Regulatory Features | Spectrum & Regulatory | |



Certification ID: WFA119878



Role: Access Point Page 3 of 6

Wi-Fi Components

Wi-Fi Component Operating System

Android

Wi-Fi Component Firmware

20.25.485.7

RF Architecture

2.4 GHz

Bands Supported Transmit (Tx) Receive (Rx)

5 GHz 2 2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

Wi-Fi CERTIFIED 6® (continued)

Operating mode indication

SU-MIMO

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

LDPC Tx

MCS 8-9 Rx

Short Guard Interval

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel

Short Guard Interval

A-MPDU Tx



Certification ID: WFA119878



| Role: Station | | P | age 4 of 6 |
|--------------------------------------------------------------|---------------------|---------------|--------------|
| Wi-Fi Components | | | |
| Wi-Fi Component Operating System | RF Architecture | | |
| Android | Bands Supported | Transmit (Tx) | Receive (Rx) |
| Wi-Fi Component Firmware 20.25.485.7 | 2.4 GHz | 2 | 2 |
| 20.23.403.7 | 5 GHz | 2 | 2 |
| | 6 GHz | 2 | 2 |
| Contifications | | | |
| Certifications | | | |
| 2.4 GHz Spectrum Capabilities | Voice-Enterprise | | |
| 20 MHz Channel Width in 2.4 GHz | WMM® | | |
| 5 GHz Spectrum Capabilities | WMM®-Admission | n Control | |
| 20 MHz Channel Width in 5 GHz | WMM®-Power Sav | /e | |
| 40 MHz Channel Width in 5 GHz | Legacy Power Save | | |
| 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz | Unschedule auto PS | | |
| | WPA2™-Enterpris | se 2018-04 | _ |
| 6 GHz Spectrum Capabilities | | | _ |
| 20 MHz Channel Width in 6 GHz | EAP methods EAP AKA | | |
| 40 MHz Channel Width in 6 GHz 80 MHz Channel Width in 6 GHz | EAP AKA Prime | | |
| 160 MHz Channel Width in 6 GHz | EAP SIM | | |
| | EAP TLS EAP TTLS | | |
| Protected Management Frames | PEAPv0 | | |
| Spectrum & Regulatory | PEAPv1 | | |
| | WPA2™-Personal | 2021-01 | |
| 802.11h | | | |



Certification ID: WFA119878



Role: Station Page 5 of 6

WPA3™-Enterprise 2020-02

EAP methods

EAP AKA

EAP AKA Prime

EAP SIM

EAP TLS

EAP TTLS

PEAPv0

PEAPv1

192-bit security

192-bit security RSA 3K with the

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

cipher suite

Server Certificate Validation

WPA3™-Personal 2020-12

Wi-Fi Agile Multiband™

ANQP

ANQP-based Neighbor report

Beacon Report Measurement Active Mode

Beacon Report Measurement Passive Mode

BTM Query

Cellular Data capable

Fast Transition OTA on WPA2-Personal

Fast Transition OTA on WPA2-Enterprise

Wi-Fi Aware™

Wi-Fi CERTIFIED 6®

A-MPDU with A-MSDU

Beamforming sounding

BSRP Trigger frame

DL MU PPDU multi-tone

DL MU-MIMO

Wi-Fi CERTIFIED 6® (continued)

HE NDP

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

Operating mode control field

Operating mode indication

SU beamformee

SU-MIMO

UL OFDMA

UL TB PPDU multi-tone

Wi-Fi 6E

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support

A-MPDU with A-MSDU

DL MU-MIMO

LDPC Rx

MCS 8-9 Rx

Short Guard Interval

LDPC Tx

SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g





Certification ID: WFA119878

| Page 6 |
|--------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |