

## Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

### **Certification ID: WFA119887**

### **Product Info**

**Date of Certification** August 15, 2022

**Company** Zyxel Communications Corporation

Product Name 802.11ax (WiFi 6) Dual-Radio Unified Access Point

Product Model Variant WAX610D

Model Number WAX610D

**Category** Routers

**Sub-category** Access Point for Home or Small Office (Wireless Router)

### **Summary of Certifications**

CLASSIFICATION CERTIFICATION

**Connectivity** 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED 6®
Wi-Fi CERTIFIED™ a
Wi-Fi CERTIFIED™ b
Wi-Fi CERTIFIED™ g
Wi-Fi CERTIFIED™ n

**Optimization** WMM®

Wi-Fi Agile Multiband™

**Security** Protected Management Frames

WPA2<sup>™</sup>-Personal 2021-01 WPA3<sup>™</sup>-Personal 2020-12

WPA™-Personal



### Wi-Fi CERTIFIED™ Certificate



**Certification ID: WFA119887** 

Role: Access Point Page 2 of 3

Wi-Fi Components

**Wi-Fi Component Operating System** 

Linux Kernel 4.4.60

Wi-Fi Component Firmware

V6.40

**RF Architecture** 

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz 2 2

5 GHz 4 4

#### Certifications

#### 2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

#### 5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

**Protected Management Frames** 

**WMM®** 

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

**WPA™-Personal** 

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6®

Wi-Fi CERTIFIED 6® (continued)

4 antenna support

A-MPDU with A-MSDU

Basic Trigger frame in HE MU PPDU

BSRP Trigger frame

Compressed Block Ack Rx (buffer size 256)

Compressed Block Ack Tx (buffer size 256)

DL MU-MIMO

DL OFDMA

Individual Target Wake Time

LDPC Rx

LDPC Tx

MCS 8-9 Rx

MCS 8-9 Tx

MCS 10-11 Rx

MCS 10-11 Tx

MU EDCA Parameter Set element

MU-BAR Trigger frame

MU-RTS Trigger frame

M-BSSIE

Operating Mode indication

SU beamformer

SU-MIMO

TXOP RTS Threshold

UL OFDMA



# **Wi-Fi CERTIFIED™ Certificate**



**Certification ID: WFA119887** 

Role: Access Point	Page 3 of 3
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU	
DL MU-MIMO	
LDPC Rx	
LDPC Tx	
MCS 8-9 Rx	
Short Guard Interval	
STBC	
SU beamformer	
Wi-Fi CERTIFIED™ b	
Wi-Fi CERTIFIED™ g	
<u> </u>	
Wi-Fi CERTIFIED™ n	
OBSS on Extension Channel	
Short Guard Interval	
STBC	
A-MPDU Tx	