

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120346

Product Info

Date of Certification June 28, 2022

Company Desay SV Automotive

Product Name 23MM MID AVN

Product Model Variant NV2693/93

Model Number NV2693/93

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120346



Role: Access Point	Page 2 of 3		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android / 9.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1

13.35.205.1	2.4 0112
	5 GHz 1 1
Certifications	
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac (continued)
20 MHz Channel Width in 2.4 GHz	Short Guard Interval
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b
20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g
	Wi-Fi CERTIFIED™ n
Protected Management Frames	OBSS on Extension Channel Short Guard Interval
WMM®	A-MPDU Tx
WPA2™-Personal 2021-01	
WPA3™-Personal 2020-02	
Wi-Fi CERTIFIED™ a	
Wi-Fi CERTIFIED™ ac	
A-MPDU with A-MSDU LDPC Tx	
MCS 8-9 Rx	



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120346



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android / 9.0

Wi-Fi Component Firmware

13.35.205.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

STBC

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx