

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120355

Product Info

Date of Certification June 28, 2022

Company Desay SV Automotive

Product Name 23MM MID AVN

Product Model Variant NV2633/93

Model Number NV2633/93

Category Other

Sub-category In-vehicle Network

Summary of Certifications

CLASSIFICATION CERTIFICATION

Network management WMM®

Security Protected Management Frames

WPA2[™]-Personal 2021-01 WPA3[™]-Personal 2020-02

Wi-Fi (MAC/PHY) 2.4 GHz Spectrum Capabilities

5 GHz Spectrum Capabilities

Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120355



Role: Access Point	Page 2 of 3		
Wi-Fi Components			
Wi-Fi Component Operating System	RF Architecture		
Android / 9.0	Bands Supported	Transmit (Tx)	Receive (Rx)
Wi-Fi Component Firmware	2.4 GHz	1	1

13.35.205.1	2.4 GHz 1 1		
	5 GHz 1 1		
Certifications			
2.4 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ ac (continued)		
20 MHz Channel Width in 2.4 GHz	Short Guard Interval		
5 GHz Spectrum Capabilities	Wi-Fi CERTIFIED™ b		
20 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ g		
40 MHz Channel Width in 5 GHz			
80 MHz Channel Width in 5 GHz	Wi-Fi CERTIFIED™ n		
Protected Management Frames	OBSS on Extension Channel Short Guard Interval		
WMM®	A-MPDU Tx		
WPA2™-Personal 2021-01			
WPA3™-Personal 2020-02			
Wi-Fi CERTIFIED™ a			
Wi-Fi CERTIFIED™ ac			
A-MPDU with A-MSDU			
A WILL DO WILL A WOOD			
LDPC Tx MCS 8-9 Rx			



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120355



Role: Station Page 3 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Android / 9.0

Wi-Fi Component Firmware

13.35.205.1

RF Architecture

Bands Supported Transmit (Tx) Receive (Rx)

2.4 GHz

5 GHz

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Wi-Fi CERTIFIED™ ac (continued)

Short Guard Interval

STBC

LDPC Tx

SU beamformee

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-02

Wi-Fi CERTIFIED™ a

STBC

A-MPDU Tx

HT Duplicate Mode

OBSS on Extension Channel

Short Guard Interval

Wi-Fi CERTIFIED™ ac

A-MPDU with A-MSDU

LDPC Rx

MCS 8-9 Rx