

Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA120442

Product Info

Date of Certification	December 23, 2022	
Company	Sumitomo Electric Industries, Ltd.	
Product Name	HIKARI MUSEN Router	
Product Model Variant	HIKARI MUSEN Router	
Model Number	eo-RT110(S1)	
Category	Routers	
Sub-category	Access Point for Home or Small Office (Wireless Router)	

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6® Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® WMM®-Power Save Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-12

This certificate was downloaded on 2025-04-03 at 08:01:57 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120442



Role: Access Point

Page 2 of 3

Wi-Fi Components Wi-Fi Component Operating System

Linux Wi-Fi Component Firmware r11.4 00003.0

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	4	4

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz 40 MHz Channel Width in 5 GHz 80 MHz Channel Width in 5 GHz 160 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WMM®-Power Save

Legacy Power Save Unschedule auto PS

WPA2[™]-Personal 2021-01

WPA3[™]-Personal 2020-12

Wi-Fi Agile Multiband™

Cellular Data aware

Wi-Fi CERTIFIED 6®

4 antenna support A-MPDU with A-MSDU Basic Trigger frame in HE MU PPDU **BSRP** Trigger frame Compressed Block Ack Rx (buffer size 256) Compressed Block Ack Tx (buffer size 256) DL MU-MIMO DL OFDMA Individual Target Wake Time LDPC Rx LDPC Tx MCS 8-9 Rx MCS 8-9 Tx MCS 10-11 Rx MCS 10-11 Tx MU EDCA Parameter Set element MU-BAR Trigger frame MU-RTS Trigger frame Operating mode subfield in A-Control field Operating mode indication

This certificate was downloaded on 2025-04-03 at 08:01:57 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA120442



Page 3 of 3

Role: Access Point

Wi-Fi CERTIFIED 6® (continued)

Operating mode UL MU Rx SU beamformer SU-MIMO TXOP RTS Threshold UL OFDMA

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

RTS with BW Signaling A-MPDU with A-MSDU DL MU-MIMO LDPC Rx LDPC Tx MCS 8-9 Rx Short Guard Interval STBC SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel Short Guard Interval STBC A-MPDU Tx

This certificate was downloaded on 2025-04-03 at 08:01:57 UTC

Wi-Fi[®], Wi-Fi CERTIFIED[®], Wi-Fi Alliance[®], the Wi-Fi logo, the Wi-Fi CERTIFIED logo, and <u>other marks</u> are trademarks of Wi-Fi Alliance. Matter[™] is a trademark of the Connectivity Standards Alliance.